


Artweger ZERO

Less silicone. More perfection.





ONLY GLASS, NOTHING ELSE

The new shower series Artweger ZERO, impresses with its complete transparency. Its connecting profiles can be integrated into the wall and floor. Only the glass remains visible nothing else. Whether in a newly built or renovated bathroom, the Artweger ZERO can be individually adapted to suit your needs and is also a visual highlight.



100% transparent: the profiles are integrated IN the wall and floor.



Can be freely combined: As an example, the floor profile is mounted ON the tiles, the wall profile is integrated IN the wall.



100% silicone-free: The just 17 mm high profiles are mounted ON the surface, (tiles and shower tray)



Beautiful appearance for many years: high-quality discreet seals instead of silicone joints.



LESS SILICONE - MORE PERFECTION

With the Artweger ZERO, high-quality 8 mm thick shower glass is fixed to the wall and floor with transparent seals. This creates a particularly slim, uniform and silicone-free joint. It not only looks good but has other advantages:

- + Looks like brand new for many years without any ageing silicone joints on the glass
- + The seals are less susceptible to mould growth
- + Low care and maintenance, the seals can be replaced



EASY CARE SOLUTION for RENOVATION

The Artweger ZERO offers a special solution for bathroom renovation: Here, the Artweger ZERO is installed without silicone onto the existing tiles. The walls inside the shower are fitted with the seamless and easy-care ARTWALL wall system. This covers and protects the connecting profile of the Artweger ZERO on the inside of the shower. This is a particularly easy-care solution that looks like new for many years.



ZERO Walk In VARIO - the Walk in for small bathrooms The Artweger ZERO Walk In VARIO combines a fixed glass part with a 360 ° movable glass part that can be swiveled 180 ° inwards and 180 ° outwards. This enables free access to the open shower area even in tight spaces.



The glass wall is installed in the floor profile on the existing floor or alternatively mounted without a floor profile using a transparent edge protection. This variant is sealed with silicone.



Renovation solution: The wall profile is mounted onto the existing surface. The shower area is fitted with the ARTWALL wall system. ARTWALL is a seamless wall system especially for the bathroom.

Artweger ZERO Walk In

LOW PRICE SOLUTION

The **ZERO Walk In BASIC** is equipped with a 30mm wall profile. This makes it possible to compensate for slight inclines of the wall or floor and means that glass walls in standard sizes can be used. The wall profile can be completely or partially sunk into the wall; on the floor it is always installed without a profile.



The ZERO Walk In BASIC is always laid on the floor without a floor profile using a transparent edge protection. Here silicone is used for sealing along the glass edge.



Clean glass a shower life long!

ARTCLEAR GLASS is a new, long lasting easy-care glass for shower enclosures. With ARTCLEAR, the glass surface is specially treated and hardened by UV exposure. The results are impressive: Glass treated in this way is protected against ageing and glass corrosion and remains clear for a shower life long.

CLEAN GLASS

- Water-repellent surface
- Lime and dirt can hardly grip on
- Permanently reduced cleaning
- Daily wiping of the glass after showering is not necessary

A SHOWER LIFE LONG

- VV-hardened glass surface, lasts for the life time of the shower
- Lasting resistance to care and cleaning agents
- Suitable for microfiber cloths
- Protection against ageing and glass corrosion, the glass remains clear

ZERO WALK IN - custom made



models	Corner installation left	Corner installation right	height in cm	wic	ith in cm
Artweger ZERO WALK IN			190 to 205 cm	70 - 140	Glass thickness 8 mm
Artweger ZERO WALK IN VARIO	1.33	301	190 to 205 cm	1 55 - 130 ⊛ 30 - 50	Glass thickness 1 8 mm Glass thickness 8 6 mm

Mounting onto tiles



or next to tiles

Various special solutions for special heights and widths, slants and recesses are possible.

ZERO WALK IN BASIC - glass in standard sizes

Installation into the tiled surface

models	Corner installation left	Corner installation right	height in cm	width in cm	
Artweger ZERO WALK IN BASIC			200 cm	80 90 100 glass thickness 8 mm 110 adjustment +/- 7 mm 120 140	
Artweger ZERO WALK IN BASIC VARIO		Salar F	200 cm	1 + ≋ 130 1 + ≋ 140 1 + ≋ 150 glass thickness 1 8 mm 1 + ≋ 160 glass thickness 3 6 mm 1 + ≋ 170 adjustment +/- 7 mm	

Wall mounting onto tiles or next to ARTWALL





Fully frosted or a frosted strip Satin, surface complète

Single-pane safety glass



Glass clear

Single-pane safety glass (ESG).

The Artweger ZERO uses a specially heat-treated safety glass (EN 12150) which is more resistant to impact, shock and temperature changes. In the event of glass breakage, glass crumbs are created which significantly reduce the risk of injury.



YD-

via your Artweger Guarantee Partner. to EN 14428

lign-gloss metal

ARTWALL

QUICKLY RENOVATED: ARTWALL is a modern wall system for bathroom renovation. The ARTWALL wall panels are glued directly to the existing tiles or walls, without the need for laborious tiling. ARTWALL has been specially developed for wet areas and is therefore ideal for bathroom renovations. ARTWALL is also suitable for use as a bathtub cladding for the TWINLINE. Current colours and decors can be found on: www.artweger.at/artwall

Floor mounting without profile onto tiled surface





Compliments of your bathroom specialist:

Artweger GmbH. & Co. KG

Sulzbacherstraße 60, 4820 Bad Ischl, AUSTRIA Tel. +43 6132 205-0, Fax +43 6132 205-5003 info@artweger.com, www.artweger.com

Artweger UK

The Sidings Thomas Street, Blackpool, FY6 7QQ Lancashire Tel: +44 333 666 1260, Fax: +44 333 666 1261 infouk@artweger.co.uk

Technical changes and typographical errors reserved. Bildrenderings: renderwerk Wolf & Fröch OG